



*****SAFETY DATA SHEET*****

1. PRODUCT INFORMATION	
1.1	Product Name: DETOX DRY SHAMPOO FOR BRUNETTES
1.2	Product Identification: 192-50B
1.3	Recommended Use / Product Use: Hair Care
1.4	Manufacturer's Name: Drybar Products LLC/Helen of Troy
1.5	Manufacturer's Address: One Helen of Troy Plaza, El Paso, Texas 79912
1.6	Manufacturer's Phone: TEL: 800.428.7273 FAX: 915.225.8004
1.7	Emergency Phone: Chemtel - Domestic: 800.255.3924; International: 813.248.0585

2. HAZARDOUS INGREDIENT INFORMATION

SECTION 2.1

<p>Classification: Extremely Flammable aerosol, Category 1 Classification: Gases under pressure Signal Word: Danger</p> <p>Hazard Code/Hazard Statement: H222/ Extremely Flammable Aerosol H280/ Contains gas under pressure; may explode if heated. H229/ Pressurized container; may burst when heated.</p> <p>Symbol: Flame; gas under pressure.</p> <p>CLP 1272/2008 pictogram:</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  GHS02 </div> <div style="text-align: center;">  GHS04 </div> </div> <p>Criteria:</p> <ul style="list-style-type: none"> • Aerosols with $\geq 85\%$ flammable components <i>and</i> a heat of combustion of more than 30 kJ/g 	<p>Precautionary Statements:</p> <p>P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read label before use. P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. P211: Do not spray on an open flame or other ignition source. P251: Do not pierce or burn, even after use. P260: Do not breathe dust/fume/gas/mist/vapors/spray. P261: Avoid breathing dust/fume/gas/mist/vapors/spray.</p> <p>Storage:</p> <p>P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P220: Keep/Store away from clothing/.../combustible materials. P202: Do not handle until all safety precautions have been read and understood.</p> <p>Response:</p> <p>P315: Get immediate medical advice/attention. P377: Leaking as fire: Do not extinguish, unless leak can be stopped safely.</p> <p>Disposal:</p>
---	---

2.2	HEALTH	ENVIRONMENTAL	PHYSICAL
	There is no data on the product itself = ND	There is no data on the product itself = ND	Pressurized Container: May Burst if Heated: H229

3. COMPOSITION/INFORMATION ON INGREDIENTS: <i>Mixture / CBI</i>



*******SAFETY DATA SHEET*******

NOTE: For information on ingredients, the competent authority rules for CBI take priority over the rules for product identification.					
CHEMICAL IDENTITY	CAS #	EINECS#	% (In Total Formula)	FLASHPOINT	OTHER
Isobutane	75-28-5	200-857-2	28 - 40	- 132.23°F	1,3-butadiene < 1ppm
Alcohol Denat.	64-17-5	200-578-6	15 - 25	55°F	Denatured
Propane	74-98-6	200-827-9	28 - 40	- 156°F	1,3-butadiene < 1ppm
3.1	Impurities and stabilizing additives which are themselves classified and which contribute to the classification of the substance.				
	None present				
3.2	<ul style="list-style-type: none"> ▪ Mixture: The chemical identity and concentration or concentration ranges of all ingredients which are hazardous within the meaning of the GHS and are present above their cut-off levels. ▪ Cut-off level for reproductive toxicity, carcinogenicity and category 1 mutagenicity is ³ 0.1% <p>Cut-off level for all other hazard classes is ³ 1%</p> <p>NOTE: For information on ingredients, the competent authority rules for CBI take priority over the rules for product identification.</p>				
	None present				
4. FIRST AID MEASURES					
4.1	<p>First Aid:</p> <p>INGESTION: Drink enough water to dilute. Consult physician immediately Flush eyes with plenty of water to ensure complete flushing. e.g., Eye wash station for 15 minutes. If irritation persists, seek medical attention</p> <p>EYES: Flush eyes with plenty of water to ensure complete flushing. e.g., Eye wash station for 15 minutes. If irritation persists, seek medical attention</p> <p>SKIN: Wash thoroughly with mild soap and water. If irritation persists, seek medical attention</p> <p>INHALATION: Remove victim to fresh air at once. If breathing is difficult, seek medical attention</p>				
4.2	Medical Conditions Aggravated by Exposure: Pre-existing respiratory and skin disorder.				
5. FIREFIGHTING MEASURES					
5.1	Extinguishing Methods: (suitable and unsuitable)	CO ₂ , Foam, Dry Chemical, and Water Spray			
5.2	Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products).	Closed containers exposed to excessive heat may rupture. Do not crush or puncture containers.			
5.3	Special protective equipment and precautions for firefighters.	Fire should be fought from a safe distance. Firefighters should wear full face, self-contained breathing apparatus, and full protective clothing.			
6. ACCIDENTAL RELEASE MEASURES					
6.1	Personal precautions, protective equipment and emergency procedures:	Depending on extent of release, consider the need for fire fighters/emergency responders with adequate personal protective equipment for cleaning up. Do not eat, drink, or smoke while cleaning up.			
6.2	Ventilation	Use with adequate ventilation			
6.3	Respiratory	None required, when used with adequate ventilation			
6.4	Environmental Precautions:	Do not dispose of product into storm drains or waterways.			
6.5	Methods and materials for containment and cleaning up.	Exclude sources of ignition and ventilate the area. Avoid breathing vapors. Refer to protective measures in section 7 and 8. Product is packed in aerosol containers. Dispose of any leaking aerosols per site instructions after placing			



*******SAFETY DATA SHEET*******

	in safe fireproof containers with leaking material absorbed by earth or other non-flammable absorbent.
--	--

7. HANDLING & STORAGE INFORMATION

7.1	Precautions for Safe Handling: Wash hands thoroughly after using this product and before eating, drinking, or smoking
7.2	Conditions for safe storage, including any incompatibilities. Keep away from excessive heat, open flames, sparks, and other possible source of ignition. Do not store in damaged or unmarked containers or storage devices. For warehouse storage, pallets and cases should be placed to avoid damage or rupture from material handling equipment. With use, spray aerosol carefully and cap after each use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1	Control parameters, e.g., occupational exposure limit values or biological limit values.
8.2	Appropriate engineering controls.
8.3	Personal Protective Equipment: None required under normal conditions of use. When handling large quantities (e.g., > 1 gallon), wear protective eyeglasses, gloves, boot, and apron per OSHA regulations (29 CFR 1910.133)

CHEMICAL IDENTITY	CAS #	EINECS#	EXPOSURE LIMITS IN AIR		OTHER
			TLV ppm	PEL ppm	
Isobutane	75-28-5	203-448-7	800	800	Unknown
Alcohol Denat.	64-17-5	201-142-8	1000	1000	Unknown
Propane	74-98-6	200-827-9	1000	1000	Unknown

9. PHYSICAL & CHEMICAL PROPERTIES - TENTATIVE

ND = NO DATA / N/A = NOT APPLICABLE

		CONCENTRATE:	AEROSOLIZED PRODUCT:
9.1a	Appearance:	Opaque liquid – powder settles upon standing	Opaque spray
9.1b	Color:	Brown	Brown
9.1c	Specific Gravity:	Approx. 1.0	N/A
9.1d	Viscosity:	2,000 – 5,000 cPs	N/A
9.2	Odor	TO MATCH STANDARD	TO MATCH STANDARD
9.3	Odor Threshold	TO MATCH STANDARD	TO MATCH STANDARD
9.4	pH:	N/A	N/A
9.5	Melting point/freezing point	ND	N/A
9.6	Initial Boiling Point and Boiling Range:	ND	N/A
9.7	Flashpoint:	ND	N/A
9.8	Evaporation Rate	ND	N/A
9.9	Flammability: solid/gas	ND	N/A
9.10	Upper/lower flammability or explosive limits	ND	N/A
9.11	Vapor pressure	ND	N/A
9.12	Vapor density	ND	N/A
9.13	Relative density	See Specific Gravity	N/A
9.14	Solubility(ies)	ND	N/A
9.15	Partition coefficient: n-octanol/water	ND	N/A
9.16	Autoignition temperature	ND	N/A
9.17	Decomposition temperature	ND	N/A
9.18	Volatile Organic Compounds (VOC) %	N/A	VOC = >75.0%
9.19	Heat of Combustion	N/A	30 kJ/g (NFPA 30B)

10. STABILITY & REACTIVITY

*****SAFETY DATA SHEET*****

10.1	Chemical Stability:	Stable under normal conditions of use
10.2	Possibility of hazardous reactions:	Hazardous polymerization will not occur.
10.3	Conditions to Avoid:	Use or storage near open flames, sparks, high heat 50°C/122°F or other heat sources
10.5	Incompatible Substances:	Strong oxidizing agents
10.2	Hazardous Decomposition Products:	Irritating vapors and toxic gases when involved in fire

11. TOXICOLOGICAL INFORMATION

11.1	TYPES OF EXPOSURE:								
	ROUTES OF EXPOSURE:	Skin	X	Inhalation	X	Eyes	X	Ingestion	X
	HEALTH EFFECTS OF EXPOSURE:	IMMEDIATE			CHRONIC				
	INGESTION:	May cause gastrointestinal irritation			Seek medical attention if symptoms persist.				
	EYES:	Liquid and vapor may cause mild to severe eye irritation.			Seek medical attention if symptoms persist.				
	SKIN:	Repeated contact may cause irritation and drying of the skin. Contact with propellant may cause freeze burns.			Seek medical attention if symptoms persist.				
	INHALATION:	Vapor may cause irritation to the upper respiratory tract			Seek medical attention if symptoms persist.				

12. ECOLOGICAL INFORMATION

12.1	There is no data on the product itself.
12.2	Eco-toxicity (aquatic and terrestrial, where available). Persistence and degradability. Bio-accumulative potential. Mobility in soil. Other adverse effects: There is no data available on the product itself.
12.3	The product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface water.

13. DISPOSAL CONSIDERATIONS

13.1	Dispose of in accordance with federal, state or local regulations.
-------------	--


14. TRANSPORTATION INFORMATION

14.1	SHIPPING NAME	49CFR (GND) CONSUMER COMMODITY, ORM-D (≤ 1.0L) or Regulated 49 CFR (GND) UN1950, AEROSOLS, FLAMMABLE, 2.1, "LTD. QTY." or Regulated 49 CFR (GND) UN1950, AEROSOLS, FLAMMABLE, 2.1 or Regulated IATA (AIR) ID 8000, CONSUMER COMMODITY, 9 or Regulated IATA (AIR) UN 1950, AEROSOLS, FLAMMABLE, 2.1, "LTD. QTY." or Regulated IATA (AIR) UN 1950, AEROSOLS, FLAMMABLE, 2.1 or Regulated IMDG (OCN) UN1950, AEROSOLS, FLAMMABLE, 2.1, "LTD. QTY." EMS # F-D, S-U or Regulated IMDG (OCN) UN1950, AEROSOLS, FLAMMABLE, 2.1
-------------	---------------	--


CHOOSE FROM THE FOLLOWING SYMBOLS:



*******SAFETY DATA SHEET*******

14.2	HAZCHEM CODE: H222 H280 H229	EXTREMELY FLAMMABLE AEROSOL, CATEGORY 1 CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED PRESSURIZED CONTAINER; MAY BURST IF HEATED
14.3	MARINE POLLUTANT: N	49 CFR APPENDIX B SECTION 172.101
15. REGULATORY INFORMATION		
15.1	<p>Contents of this SDS comply with the following: OSHA Hazard Communication Standard CFR 1910.1200; UN GHS: Globally Harmonized System of Classification and Labelling of Chemicals (GHS) ("The Purple Book"); USA: Federal Hazardous Materials Transportation Law (49 U.S.C. 5101 <i>et seq.</i>); CLP1272/2008: https://www.echa.europa.eu/web/guest/regulations/clp/understanding-clp; HEALTH CANADA: Reference Manual for the Consumer Chemicals and Containers Regulations, 2001 of the Hazardous Products Act</p>	
15.2	<p>EPA SARA Title III Chemical Listings Section 302 Extremely Hazardous Substances: None Section 304 CERCLA Hazardous Substances: None Section 313 Toxic Chemicals: None present or none present in regulated quantities.</p>	
15.3	California Proposition 65: No reportable components	
16. OTHER INFORMATION: including information on preparation and revision of the SDS		
16.1	<p>Version: 2 (SECTION 2.1, 2.2, 9.7, 9.19, 10.3, 14.2, 15, 16) Revision: 1 Date: 2019-04-12 Author/Initials: Victoria Morales VCM</p>	
16.2	<p>Disclaimer: This Safety Data Sheet is offered pursuant to Globally Harmonized System²(GHS) OSHA's Hazard Communication Standard, 29 CFR § 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of 2-2-0 Laboratories Inc.'s knowledge, the information contained herein is reliable and accurate as of the date issued; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided.</p>	
16.3	<p>Definitions: Aerosols means any non-refillable receptacles made of metal, glass or plastics and containing a gas compressed, liquefied or dissolved under pressure, with or without a liquid, paste or powder, and fitted with a release device allowing the contents to be ejected as solid or liquid particles in suspension in a gas, as a foam, paste or powder or in a liquid state or in a gaseous state. Aerosol includes aerosol dispensers. Mixture means a mixture or a solution composed of two or more substances in which they do not react. CBI means "confidential business information". Carcinogenicity: Carcinogen means a chemical substance or a mixture of chemical substances which induce cancer or increase its incidence. Substances and mixtures in this hazard class are assigned to one of two hazard categories. Category 1 has two subcategories. The Carcinogenicity Guidance Section in the GHS Document includes comments about IARC. AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence (DuPont™ DYMEL A propellant – Material Safety Data Sheet Version 2.2, 11-02-2011).</p>	
NFPA	Aerosol Level: (3) per NFPA Heat of Combustion calculation. (Second Revision No. 5-NFPA 30B-2013 [Section No. 1.7])	
CLP 1272/2008	<p>1.2. Symbol: flame Pictogram</p>  <p>(1) Hazard class and hazard category</p>	

*****SAFETY DATA SHEET*****

	<p>(2) GHS02 Section 2.2 Flammable gases, hazard category 1 Section 2.3 Flammable aerosols, hazard categories 1, 2 Section 2.6 Flammable liquids, hazard categories 1, 2, 3</p>
<p>CLP 1272/ 2008</p>	<p>1.4. Symbol: gas cylinder Pictogram  (1) Hazard class and hazard category (2) GHS04 Section 2.5 Gases under pressure: Compressed gases; Liquefied gases; Refrigerated liquefied gases; Dissolved gases</p>