


*******SAFETY DATA SHEET*******

1. PRODUCT INFORMATION	
1.1	Product Name: DETOX DRY CONDITIONER
1.2	Product Identification: 205-37C
1.3	Recommended Use / Product Use: Hair Care
1.4	Manufacturer's Name: Drybar Products LLC/Helen of Troy
1.5	Manufacturer's Address: One Helen of Troy Plaza, El Paso, Texas, 79912
1.6	Business Phone: TEL: 800.428.7273 FAX: 915.225.8004
1.7	Emergency Phone: Chemtel - Domestic: 800.255.3924; International: 813.248.0585

2. HAZARDOUS INGREDIENT INFORMATION	
2.1	




GHS CLASSIFICATION:	
----------------------------	--

<p>Classification: Flammable aerosol, category 2</p> <p>Signal Word: Warning</p> <p>Hazard Code: H223</p> <p>Hazard Statement: Flammable Aerosol. Pressurized Container: May burst if heated</p> <div style="text-align: center;">  </div> <p>Symbol: Flame</p>	<p>Precautionary Code: Precautionary Statements</p> <p>P210: Keep Away From Heat/sparks/open flames/hot surfaces. No smoking.</p> <p>P211: Do not spray on an open flame or other ignition source.</p> <p>P251: Do not pierce or burn, even after use.</p> <p>P410: Protect from sunlight.</p> <p>P412: Do not expose to temperatures exceeding 50°C/122°F.</p>
---	---

Criteria based upon UN Recommendations on the Transport of Dangerous Goods ST/SG/AC.10/11/Rev. 5) - Ignition Distance Test for Spray Aerosols:

- Spray aerosols with a heat of combustion ≥ 20 kJ/g but less than 30 kJ/g; or
- Spray aerosols with an ignition distance ≥ 15 cm, but less than 75 cm, in the Spray ignition test

*******SAFETY DATA SHEET*******

CANADA CLASSIFICATION:						
Flammability Testing According to CCCR Schedule III:						
Classification: Flammable Aerosol						
Test method: Canada DO-30:						
Flame Projection: 15 to 45 cm						
Symbol:  						
Signal Word/s: Caution / Attention; Warning / Avertissement						
Additional Hazard Statement: Do not use in presence of open flame or spark. Ne pas utiliser en présence d'une flamme nue ou d'étincelles.						
2.2	HEALTH: There is no data on the product itself = ND	ENVIRONMENTAL: There is no data on the product itself = ND	PHYSICAL: Pressurized container; may burst if heated			
3. COMPOSITION/INFORMATION ON INGREDIENTS: Mixture / CBI						
<i>NOTE: For information on ingredients, the competent authority rules for CBI take priority over the rules for product identification.</i>						
	CHEMICAL IDENTITY	CAS #	EINECS#	% (In Total Formula)	FLASHPOINT	OTHER
	Butane	106-97-8	203-448-7	1 - 5	-140°F	1,3-butadiene < 1ppm
	Isobutane	75-28-5	200-857-2	50 - 75	- 132.23°F	1,3-butadiene < 1ppm
	Alcohol Denat.	64-17-5	200-578-6	1 - 10	55°F	Denatured
3.1	Impurities and stabilizing additives which are themselves classified and which contribute to the classification of the substance.					
	Cyclopentasiloxane	541-02-6	208-764-9	1 - 5	Approx. 170°F	UNKNOWN
3.2	<ul style="list-style-type: none"> Mixture: The chemical identity and concentration or concentration ranges of all ingredients which are hazardous within the meaning of the GHS and are present above their cut-off levels. Cut-off level for reproductive toxicity, carcinogenicity and category 1 mutagenicity is ³ 0.1% <p align="center">Cut-off level for all other hazard classes is ³ 1% = NONE PRESENT</p> <p><i>NOTE: For information on ingredients, the competent authority rules for CBI take priority over the rules for product identification.</i></p>					
Carcinogenicity : NONE PRESENT						
4. FIRST AID MEASURES						



*******SAFETY DATA SHEET*******

4.1	First Aid: INGESTION: Drink enough water to dilute. Consult physician immediately Flush eyes with plenty of water to ensure complete flushing. e.g., Eye wash station for 15 minutes. If irritation persists, seek medical attention EYES: Wash thoroughly with mild soap and water. If irritation persists, seek medical attention SKIN: Remove victim to fresh air at once. If breathing is difficult, seek medical attention INHALATION:
4.2	Medical Conditions Aggravated by Exposure: Pre-existing respiratory and skin disorder apparatus and full protective clothing.

5. FIREFIGHTING MEASURES

5.1	Extinguishing Methods: (suitable and unsuitable)	CO ₂ , Foam, Dry Chemical, and Water Spray
5.2	Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products).	Closed containers exposed to excessive heat may rupture. Do not crush or puncture containers.
5.3	Special protective equipment and precautions for firefighters.	Fire should be fought from a safe distance. Firefighters should wear full face, self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures:	Ventilation: Use with adequate ventilation Respiratory: None required, when used with adequate ventilation
6.2	Environmental Precautions:	
6.3	Methods and materials for containment and cleaning up. Exclude sources of ignition and ventilate the area. Avoid breathing vapors. Refer to protective measures in section 7 and 8. Product is packed in aerosol containers. Dispose of any leaking aerosols per site instructions after placing in safe fireproof containers with leaking material absorbed by earth or other non-flammable absorbent.	

7. HANDLING & STORAGE INFORMATION

7.1	Precautions for Safe Handling: Wash hands thoroughly after using this product and before eating, drinking, or smoking
7.2	Conditions for safe storage, including any incompatibilities. Keep away from excessive heat, open flames, sparks, and other possible source of ignition. Do not store in damaged or unmarked containers or storage devices. For warehouse storage, pallets and cases should be placed to avoid damage or rupture from material handling equipment. With use, spray aerosol carefully and cap after each use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1	Control parameters, e.g., occupational exposure limit values or biological limit values.
8.2	Appropriate engineering controls.
8.3	Personal Protective Equipment: None required under normal conditions of use. When handling large quantities (e.g., ≥ 1 gallon), wear protective eyeglasses, gloves, boot, and apron per OSHA regulations (29 CFR 1910.133)

CHEMICAL IDENTITY	CAS #	EINECS#	EXPOSURE LIMITS IN AIR		OTHER
			TLV ppm	PEL ppm	
Butane	106-97-8	203-448-7	800	1000	General Ventilation Recommended
Isobutane	75-28-5	200-857-2	800	800	General Ventilation Recommended
Alcohol Denat.	64-17-5	200-578-6	1000	1000	General Ventilation Recommended
			TWA		



*****SAFETY DATA SHEET*****

Cyclopentasiloxane	541-02-6	208-764-9	10 ppm	General Ventilation Recommended
--------------------	----------	-----------	--------	---------------------------------

9. PHYSICAL & CHEMICAL PROPERTIES - TENTATIVE

ND = NO DATA; N/A = NOT APPLICABLE

		CONCENTRATE:	AEROSOLIZED PRODUCT:
9.1a	Appearance:	Hazy liquid	Clear
9.1b	Color:	Off-white	Off-white
9.1c	Specific Gravity:	< 1.0	N/A
9.1d	Viscosity:	N/A	N/A
9.2	Odor	To Match Standard	To Match Standard
9.3	Odor Threshold	To Match Standard	To Match Standard
9.4	pH:	N/A	N/A
9.5	Melting point/freezing point	ND	N/A
9.6	Initial Boiling Point and Boiling Range:	ND	N/A
9.7	Flashpoint:	ND	N/A
9.8	Evaporation Rate	ND	N/A
9.8	Flammability: solid/gas	LIQUID	AEROSOL
9.9	Upper/lower flammability or explosive limits	ND	N/A
9.10	Vapor pressure	ND	N/A
9.11	Vapor density	ND	N/A
9.12	Relative density	SEE SPECIFIC GRAVITY	N/A
9.13	Solubility(ies)	ALCOHOL	N/A
9.14	Partition coefficient: n-octanol/water	ND	N/A
9.15	Autoignition temperature	ND	N/A
9.16	Decomposition temperature	ND	N/A
9.17	Volatile Organic Compounds (VOC) %	N/A	>75.0%

10. STABILITY & REACTIVITY

10.1	Chemical Stability:	Stable under normal conditions of use
10.2	Possibility of hazardous reactions:	Hazardous polymerization will not occur.
10.3	Conditions to Avoid:	Use or storage near open flames, sparks, high heat (>100°F) or other heat sources
10.5	Incompatible Substances:	Strong oxidizing agents
10.2	Hazardous Decomposition Products:	Irritating vapors and toxic gases when involved in fire

11. TOXICOLOGICAL INFORMATION

11.1 TYPES OF EXPOSURE:									
ROUTES OF EXPOSURE:	Skin	X	Inhalation	X	Eyes	X	Ingestion	X	
HEALTH EFFECTS OF EXPOSURE:	IMMEDIATE				CHRONIC				
INGESTION:	May cause gastrointestinal irritation				Seek medical attention if symptoms persist.				
EYES:	Liquid and vapor may cause mild to severe eye irritation.				Seek medical attention if symptoms persist.				
SKIN:	Repeated contact may cause irritation and drying of the skin. Contact with propellant may cause freeze burns.				Seek medical attention if symptoms persist.				

*******SAFETY DATA SHEET*******

	INHALATION:	Vapor may cause irritation to the upper respiratory tract	Seek medical attention if symptoms persist.
12. ECOLOGICAL INFORMATION			
12.1	There is no data available on the product itself.		
12.2	The product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface water.		
13. DISPOSAL CONSIDERATIONS			
13.1	Dispose of in accordance with federal, state or local regulations.		
14. TRANSPORTATION INFORMATION			
14.1	SHIPPING NAME	49CFR (GND) CONSUMER COMMODITY, ORM-D (≤ 1.0L) or Regulated 49 CFR (GND) UN1950, AEROSOLS, FLAMMABLE, 2.1 "LTD. QTY." or Regulated 49 CFR (GND) UN1950, AEROSOLS, FLAMMABLE, 2.1 or Regulated IATA (AIR) ID 8000, CONSUMER COMMODITY, 9 or Regulated IATA (AIR) UN 1950, AEROSOLS, FLAMMABLE, 2.1 "LTD. QTY." or Regulated IATA (AIR) UN 1950, AEROSOLS, FLAMMABLE, 2.1 or Regulated IMDG (OCN) UN1950, AEROSOLS, FLAMMABLE, 2.1 "LTD. QTY." or Regulated IMDG (OCN) UN1950, AEROSOLS, FLAMMABLE, 2.1	
		CHOOSE FROM THE FOLLOWING SYMBOLS:	
14.2	HAZCHEM CODE:	Regulated	Aerosol Level: (3)
14.3	MARINE POLLUTANT:	N	
15. REGULATORY INFORMATION			
15.1	Contents of this SDS comply with the OSHA Hazard Communication Standard CFR 1910.1200: <i>The Globally Harmonized System of Classification and Labelling of Chemicals (GHS)</i>		
15.2	EPA SARA Title III Chemical Listings Section 302 Extremely Hazardous Substances: None Section 304 CERCLA Hazardous Substances: None Section 313 Toxic Chemicals: None present or none present in regulated quantities.		
15.3	California Proposition 65: No reportable components		
	UN GHS: Globally Harmonized System of Classification and Labelling of Chemicals (GHS) ("The Purple Book"), United Nations, 2005 First Revised Edition, available online or from United Nations Publications . UN GHS website		
	USA: Federal Hazardous Materials Transportation Law (49 U.S.C. 5101 <i>et seq.</i>).		
	USA: OSHA Hazard Communication Standard 29 CFR 1910.1200.		
16. OTHER INFORMATION: including information on preparation and revision of the SDS			
16.1	Version: 3 Revision: 1 (Section 2.1) Date: 2016-07-26; 2017-06-01 Author/Initials: Victoria C. Voss / V.C.V.		



*****SAFETY DATA SHEET*****

16.2	Disclaimer: This Material Safety Data Sheet is offered pursuant to Globally Harmonized System²(GHS) OSHA's Hazard Communication Standard, 29 CFR § 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of 2-2-0 Laboratories Inc.'s knowledge, the information contained herein is reliable and accurate as of the date issued; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided.
16.3	Definitions: Aerosols means any non-refillable receptacles made of metal, glass or plastics and containing a gas compressed, liquefied or dissolved under pressure, with or without a liquid, paste or powder, and fitted with a release device allowing the contents to be ejected as solid or liquid particles in suspension in a gas, as a foam, paste or powder or in a liquid state or in a gaseous state. Aerosol includes aerosol dispensers. Mixture means a mixture or a solution composed of two or more substances in which they do not react. CBI means "confidential business information". Carcinogenicity: Carcinogen means a chemical substance or a mixture of chemical substances which induce cancer or increase its incidence. Substances and mixtures in this hazard class are assigned to one of two hazard categories. Category 1 has two subcategories. The Carcinogenicity Guidance Section in the GHS Document includes comments about IARC.