

******SAFETY DATA SHEET*****

	1. PRODUCT INFORMATION					
1.1	Product Name: DETOX DRY SHAMPOO SANGRIA SPRTIZER					
1.2	Product Identification: 242-13C					
1.3	Recommended Use / Product Use: Hair Care					
1.4	Manufacturer's Name: Drybar Products LLC/Helen of Troy					
1.5	Manufacturer's Address: One Helen of Troy Plaza, El Paso, Texas 79912					
1.6	Manufacturer's Phone: TEL: 800.428.7273 FAX: 915.225.8004					
1.7	Emergency Phone: Chemtel - Domestic: 800.255.3924; International: 813.248.0585					
1.8	Created for: DRY BAR					
	2 HAZARDOUS INCREDIENT INFORMATION					

2. HAZARDOUS INGREDIENT INFORMATION

SECTION 2.1

Classification: Flammable aerosol, category 2

Signal Word: Warning

Hazard Code/Hazard Statement

H223/ Flammable Aerosol

H229/ Pressurized container; may burst when heated.

Symbol: Flame

CLP 1272/2008 pictogram:



GHS02

Criteria:

- Spray aerosols with a heat of combustion ≥ 20 kJ/g but less than 30 kJ/g; or
- Spray aerosols with an ignition distance ≥ 15 cm, but less than 75 cm, in the Spray ignition test

Precautionary Statements:

P101: If medical advice is needed, have product container

or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P210: Keep away from heat/sparks/open flames/hot

surfaces. No smoking.

P211: Do not spray on an open flame or other ignition

source.

P251: Do not pierce or burn, even after use.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present

and easy to do. Continue Rinsing

P337+P313: If eye irritation persists: Get medical

advice/attention.

Storage:

P410+P412: Protect from sunlight. Do not expose to

temperatures exceeding 50°C/122°F.

Response:

P315: Get immediate medical advice/attention.

Disposal:



******SAFETY DATA SHEET*****

CANADA CLASSIFICATION: FLAMMABLE AEROSOL:





Symbol:

Signal Word: Caution / Attention; Warning /

Avertissement

Primary Hazard Statement:

- 1. Flammable/Inflammable,
- 2. Container may explode if heated. / Ce Contenant peut exploser s'il est chaffé.

CRITERIA: Flame projection: ≥15 cm - ≤45cm

CRITERIA: Aerosol: A disposable metal container designed to release pressurized contents by use of a manually

operated valve.

None present

Additional Hazard Statement:

Do not use in presence of open flame or spark. Ne pas utiliser en présence d'une flamme nue ou d'étincelles.

Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50°C. Contenu sous pression. Ne pas mettre dans l'eau chaude ni près des radiateurs, poêles ou autres sources de chaleur. Ne pas percer le contenant, ni le jeter au feu, ni le conserver à des températures dépassant 50 °C.

2.2	HEALTH	ENVIRONMENTAL	PHYSICAL
	H319: Causes serious eye irritation: Hazard Class: Serious eye damage/eye irritation Hazard Category: 2A	There is no data on the product itself = ND	Pressurized Container: May Burst if Heated: H229

3. COMPOSITION/INFORMATION ON INGREDIENTS: Mixture / CBI

NOTE: For information on ingredients, the competent authority rules for CBI take priority over the rules for product identification. The following chemicals are those that are hazardous for the product. CBI is claimed for non-hazardous ingredients.

CHEMICAL IDENTITY		CAS #	EINECS#	% (In Total Formula)	FLASHPOINT	OTHER
Isobutane		75-28-5	200-857-2	22 - 40	- 132.23°F	1,3-butadiene < 1ppm
Alcohol Denat.		64-17-5	200-578-6	12 - 20	55°F	Denatured
Propane		74-98-6	200-827-9	25 - 35	- 156°F	1,3-butadiene < 1ppm
Decam	nethylcyclopentasiloxane	541-02-6	208-764-9	0.1 - 1.0	180.86°F	H227: Combustible Liquid
3.1	3.1 Impurities and stabilizing additives which are themselves classified and which contribute to the classification of substance.				the classification of the	



3.2	 Mixture: The chemical identity and concentration or concentration ranges of all ingredients which are hazardous within the meaning of the GHS and are present above their cut-off levels. Cut-off level for reproductive toxicity, carcinogenicity and category 1 mutagenicity is ³ 0.1% Cut-off level for all other hazard classes is ³ 1% NOTE: For information on ingredients, the competent authority rules for CBI take priority over the rules for product identification. 					
	None present					
			4. FIRST AID	MEASURES		
4.1	First Aid: INGESTION: Drink enough water to dilute. Consult physician immediately Flush eyes with plenty of water to ensure complete flushing. e.g., Eye wash station for 15 EYES: minutes. If irritation persists, seek medical attention SKIN: Wash thoroughly with mild soap and water. If irritation persists, seek medical attention INHALATION: Remove victim to fresh air at once. If breathing is difficult, seek medical attention					
4.2	Medical Conditions	Aggravated l	by Exposure: Pre	e-existing respira	tory and skin disord	der.
			5. FIREFIGHTING	G MEASURES		
5.1	Extinguishing Methods: CO ₂ , Foam, Dry Chemical, and Water Spray (suitable and unsuitable)					
5.2	Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products). Closed containers exposed to excessive heat may rupture. Do not crush or puncture containers.					
5.3	Special protective equipment and precautions for firefighters. Fire should be fought from a safe distance. Firefighters should wear full face, self-contained breathing apparatus, and full protective clothing.					
		6. <i>A</i>	CCIDENTAL RELI	EASE MEASURI	ES	
6.1	Personal precaution protective equipme emergency procedu	nt and	fighters/emergend for cleaning up. [cy responders wi Do not eat, drink	onsider the need fo th adequate person , or smoke while cle	al protective equipment
6.2	Ventilation		Use with adequate		Laurence (1970)	
6.3	RespiratoryNone required, when used with adequate ventilationEnvironmental Precautions:Do not dispose of product into storm drains or waterways.					
6.4	Environmental Prec Methods and mater containment and cl	ials for	Exclude sources o Refer to protective containers. Dispos	f ignition and ve e measures in se se of any leaking ontainers with le	ntilate the area. Avection 7 and 8. Prod aerosols per site ir	vays. oid breathing vapors. uct is packed in aerosol estructions after placing orbed by earth or other



******* **OFFTY DATA SHFFT**

	*****SAFETY DATA SHEET*****							
	7. HANDLING & STORAGE INFORMATION							
7.1	Precautions for Safe Handling:							
	Wash hands thoroughly after using this product and before eating, drinking, or smoking							
7.2	Conditions for safe storage, including any incompatibilities.							
	Keep away from excessive heat, open flames, sparks, and other possible source of ignition. Do not store in							
	damaged or unmarked containers or storage devices. For warehouse storage, pallets and cases should be placed to avoid damage or rupture from material handling equipment. With use, spray aerosol carefully and cap after each							
	use.	ure mom mad	eriai riariuliriy equipri	ieni. with use, s	pray aerosor careiui	ny and cap arter each		
	usei	8. FXPOSU	RE CONTROLS /	PERSONAL PRO	OTECTION			
8.1	Control parameters		•			alues.		
8.2	Appropriate engine			values or	biological illine to			
8.3				er normal conditi	ons of use. When h	andling large quantities		
	(e.g., \geq 1 gallon), wea			oot, and apron p	er OSHA regulation			
CHE	MICAL IDENTITY	CAS#	EINECS#		LIMITS IN AIR	OTHER		
CITE	MICAL IDENTITY	CAS #	LINECS#	TLV ppm	PEL ppm	OTTLK		
	Isobutane	75-28-5	203-448-7	800	800	Unknown		
	Alcohol Denat.	64-17-5	201-142-8	1000	1000	Unknown		
	Propane	74-98-6	200-827-9	1000	1000	Unknown		
Decam	nethylcyclopentasiloxane	541-02-6	208-764-9		: 10 ppm	N/A		
Becam			1			14/11		
			AL & CHEMICAL PI					
			NO DATA / N/A =	= NOT APPLICA				
			CONCENTRATE:		AEROSOLIZE	D PRODUCT:		
9.1a	Appearance:		Opaque Liquid		Strong Spray			
9.1b	Color:		Light Brown			Hazy with tan dry-down <1.0		
9.1c 9.1d	Specific Gravity:		<u>≥</u> 1.0 N/A		<1.0 N/A			
9.1u 9.2	Viscosity: Odor		TO MATCH STANDA	DD	TO MATCH STA	MIDADD		
9.3	Odor Threshold		TO MATCH STANDA		TO MATCH STA			
9.4	pH:		N/A		N/A	III III III III III III III III III II		
9.5	Melting point/freez	ing point	ND			N/A		
9.6	Initial Boiling Point and		ND		N/A			
	Boiling Range:							
9.7	Flashpoint:		APPROX 75°F – 85°	F	N/A			
9.8	Evaporation Rate	_	ND		N/A			
9.9	Flammability: solid Upper/lower flamm		ND		N/A			
9.10	explosive limits	lability or	ND		N/A			
9.11	Vapor pressure		ND		N/A			
9.12	Vapor density		ND		N/A			
9.13	Relative density		See Specific Gravity		N/A			
9.14			ND		N/A			
9.15	Partition coefficient	t: n-	ND		N/A			
9.16	octanol/water Autoignition tempe	raturo	ND		N/A			
9.10	Decomposition tempe		ND ND		N/A N/A			
9.18	Volatile Organic Co		<55		VOC = >75.0%	<u> </u>		
7.10	(VOC) %	poullus			100 = 775.076	•		
9.19	Heat of Combustion	1	ND		>20 - <30 kJ/g	(NFPA 30B)		
			10. STABILITY &	REACTIVITY				
10.1	Chemical Stability:		Stable under norma	l conditions of us	e			



			5 / \(\)		DATA SIL						
10.2	Possibility of har reactions:	zardous Hazardous polymerization will not occur.									
10.3	Conditions to A						es, sparks, high heat 50°C/122°F or other heat				
10.5	T	Sources									
10.5 10.2	Incompatible St						:	6			
10.2	Hazardous Deco	mposition	Iffila	iung vap	ors and toxic gas	ses whe	en involved in i	iire			
	11. TOXICOLOGICAL INFORMATION										
11.1	TYPES OF EXPOSURE:										
11.1	ROUTES OF										
	EXPOSURE:	Skin		X	Inhalation	X	Eyes	Х	Ingestion	Х	
	HEALTH EFFECTS OF EXPOSURE:	IMMEDIATE						CHROI	NIC		
	INGESTION:	May cause	gastrointe	stinal irr	itation	See	k medical atte	ntion if	symptoms pers	ist.	
					mild to severe						
	EYES:	eye irritatio				See	k medical atte	ntion if	symptoms pers	ist.	
	SKIN:				irritation and						
					vith propellant						
	TNUAL ATTON.	may caus			the upper	See	k medical attei	ntion if	symptoms pers	ist.	
	INHALATION:	Vapor may respiratory		tation to	tne upper	Soo	k modical atto	ntion if	symptoms pers	ict	
		тезрігасогу		COLOG	ICAL INFORMA		K medical atte	IILIOII II	symptoms pers	131.	
12.1	There is no data of	on the produ		COLOG	ICAL IIII ORIII	111011					
				ro availa	hla) Parcistance	and de	agradability Ri	io-accur	mulative notent	ial	
12.2			ic and terrestrial, where available). Persistence and degradability. Bio-accumulative potential. ner adverse effects: There is no data available on the product itself.								
12.3	The product shou surface water.	d not be allowed to enter drains or water courses or be deposited where it can affect ground or									
	13. DISPOSAL CONSIDERATIONS										
13.1	Dispose of in acco	Dispose of in accordance with federal, state or local regulations.									
	-		14. TRA	NSPOR	TATION INFOR	MATIC	ON				
14.1	SHIPPING NAME	PING NAME 49CFR (GND) CONSUMER COMMODITY, ORM-D (≤ 1.0L)									
		Regulated	or Regulated 49 CFR (GND) UN1950, AEROSOLS, FLAMMABLE, 2.1, "LTD. QTY."								
		Regulated	or Regulated 49 CFR (GND) UN1950, AEROSOLS, FLAMMABLE, 2.1								
		Regulated		ID 8000,	CONSUMER COMMO	OITY, 9					
		or Regulated IATA (AIR) UN 1950, AEROSOLS, FLAMMABLE, 2.1, "LTD. QTY."									
		or Regulated IATA (AIR) UN 1950, AEROSOLS, FLAMMABLE, 2.1 or									
		Regulated IMDG (OCN) UN1950, AEROSOLS, FLAMMABLE, 2.1, "LTD. QTY." EMS # F-D, S-U									
		Regulated or IMDG (OCN) UN1950, AEROSOLS, FLAMMABLE, 2.1									
			CHOOSE FROM THE FOLLOWING SYMBOLS:								
	CHOOSE FROM THE FOLLOWING SYMBOLS: Choose From the Following Symbols: Choose From the From										



******SAFETY DATA SHFFT*****

	ale ale ale	***SAFETY DATA SHEET*****						
14.2	HAZCHEM H223	FLAMMABLE AEROSOL, CATEGORY 2						
	CODE: H229	PRESSURIZED CONTAINER; MAY BURST IF HEATED						
14.3	MARINE NO	49 CFR APPENDIX B SECTION 172.101						
	POLLUTANT:							
		15. REGULATORY INFORMATION						
	Contents of this SDS comply w OSHA Hazard Communication							
		System of Classification and Labelling of Chemicals (GHS) ("The Purple Book");						
		ials Transportation Law (49 U.S.C. 5101 et seq.);						
15.1		•						
	CLP1272/2008: https://www.echa.europa.eu/web/guest/regulations/clp/understanding-clp;							
	HEALTH CANADA: Reference N	Manual for the Consumer Chemicals and Containers Regulations, 2001 of the						
	Hazardous Products Act							
15.2	EPA SARA Title III Chemic	al Listings						
	Section 302 Extremely Hazar	_						
	,	: None present or none present in regulated quantities.						
15.3	California Proposition 65: No re							
10.0	<u>'</u>	DN: including information on preparation and revision of the SDS						
16.1	Version: 2 (SECTION 2.1, 2.2,							
10.1	Revision: 1 (1.8) 2 (1.7 – remo							
	Revision date: 2019-07-23; 20							
	Creation Date: 2019-12-18							
	Author/Initials: Victoria Morale	s VCM						
16.2	Disclaimer:							
		ed pursuant to Globally Harmonized System²⁽GHS) OSHA's Hazard Communication						
	Standard, 29 CFR § 1910.1200. Other government regulations must be reviewed for applicability to this product. To							
	the best of 2-2-0 Laboratories Inc.'s knowledge, the information contained herein is reliable and accurate as of the date issued; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either							
	expressed or implied, are provided.							
16.3	Definitions:	MCG1						
	Aerosols means any non-refil	lable receptacles made of metal, glass or plastics and containing a gas compressed,						
	liquefied or dissolved under pressure, with or without a liquid, paste or powder, and fitted with a release device							
	allowing the contents to be ejected as solid or liquid particles in suspension in a gas, as a foam, paste or powder or							
	in a liquid state or in a gaseous state. Aerosol includes aerosol dispensers. Mixture means a mixture or a solution composed of two or more substances in which they do not react.							
	CBI means "confidential business information".							
		means a chemical substance or a mixture of chemical substances which induce						
	cancer or increase its incidence. Substances and mixtures in this hazard class are assigned to one of two hazard							
		subcategories. The Carcinogenicity Guidance Section in the GHS Document includes						
	comments about IARC.							
		posure Limit. Where governmentally imposed occupational exposure limits which are						
		ct, such limits shall take precedence (DuPont™ DYMEL A propellant – Material Safety						
NFPA	Data Sheet Version 2.2, 11-02	-2011).						
NFFA	1.7])	eat of Combustion calculation. (Second Revision No. 5-NFPA 30B-2013 [Section No.						
CLP	1.2. Symbol: flame							
1272/	Pictogram							
2008								
	(<u>v</u>)							
	$\overline{}$							
	(1) Hazard class and hazard category							
	(2)							
	GHS02 Section 2.2							



******SAFETY DATA SHEET*****

Flammable gases, hazard category 1

Section 2.3

Flammable aerosols, hazard categories 1, 2

Section 2.6

Flammable liquids, hazard categories 1, 2, 3

CLP 1272/ 2008

2.3. Symbol: exclamation mark

Pictogram

(1) Hazard class and hazard category

GHS07 Section 3.1

Acute toxicity (oral, dermal, inhalation), hazard category 4

Section 3.2

Skin irritation, hazard category 2

Section 3.3

Eye irritation, hazard category 2

Section 3.4

Skin sensitisation, hazard category 1

Section 3.8

Specific Target Organ Toxicity — Single exposure, hazard category 3

Respiratory tract irritation

Narcotic effects