

	1. PRODUCT INFORMATION						
1.1	Product Name: MR. INCREDIBLE THE ULTIMATE LEAVE-IN CONDITIONER						
1.2	Product Identification: 213-35E						
1.3	Recommended Use / Product Use: Hair Care						
1.4	Manufacturer's Name: Drybar Products LLC/Helen of tRoy						
1.5	Manufacturer's Address:						
	One Helen of Troy Plaza, El Paso, Texas 79912						
1.6	Business Phone:						
	TEL: 800.428.7273 FAX: 915.224.8004						
1.7	Emergency Phone: Chemtel Domestic: 800.255.3924; International: 813.248.0585						

2. HAZARDOUS INGREDIENT INFORMATION

SECTION 2.1

Classification: Non-Flammable Aerosol, Category 3

Classification: Gases under pressure

Signal Word: Warning

Hazard Code: Hazard Statement

CLP 1272/2008: GHS04

H280: Contains gas under pressure; may explode if heated.

H229: Pressurized container; may burst if heated.

Symbol: gas under pressure.



Criteria:

Nonflammable, if the concentration of the flammable components ≤ 1 and the heat of combustion is < 20 kJ/g.

PRECAUTIONARY STATEMENT:

PREVENTION:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

surfaces. No smoking.

P211: Do not spray on an open flame or other ignition source.

ource.

P251: Do not pierce or burn, even after use.

P260: Do not breathe dust/fume/gas/mist/vapors/spray. **P261:** Avoid breathing dust/fume/gas/mist/vapors/spray.

STORAGE:

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P220: Keep/Store away from clothing/.../combustible materials.

P202: Do not handle until all safety precautions have been read and understood.

RESPONSE:

P315: Get immediate medical advice/attention.

P377: Leaking as fire: Do not extinguish, unless leak can be stopped safely.

DISPOSAL:



CANADA:

Symbol:

Signal Word: Caution / Attention

Primary Hazard Statement: Container may explode if heated. / Ce Contenant peut exploser s'il est chaffé.

Additional Hazard Statement:

Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate container or store at temperatures over 50°C. Contenu sous pression. Ne pas mettre dans l'eau chaude ni près des radiateurs, poêles ou autres sources de chaleur. Ne pas percer le contenant, ni le jeter au feu, ni le conserver à des températures dépassant 50 °C.

2.2	HEALTH	ENVIRONMENTAL	PHYSICAL
	There is no data on the product itself = ND	There is no data on the product itself = ND	Pressurized Container: May Burst if Heated: H229

3. COMPOSITION/INFORMATION ON INGREDIENTS: Mixture / CBI

NOTE: For information on ingredients, the competent authority rules for CBI take priority over the rules for product identification.

CHEMICAL IDENTITY	CAS #	EINECS#	% (In Total Formula)	FLASHPOINT	OTHER		
Nitrogen	7727-37-9	231-783-9	70 - 100 psi	N/A	Gas mixes readily with air.		
3.1 Impurities and stabilize substance.							

3.2

None present

- Mixture: The chemical identity and concentration or concentration ranges of all ingredients which are hazardous within the meaning of the GHS and are present above their cut-off levels.
- Cut-off level for reproductive toxicity, carcinogenicity and category 1 mutagenicity is 3 0.1%

Cut-off level for all other hazard classes is 3 1%

NOTE: For information on ingredients, the competent authority rules for CBI take priority over the rules for product identification.

	None present							
	4. FIRST AID MEASURES							
4.1	First Aid:							
	INGESTION:	GESTION: Drink enough water to dilute. Consult physician immediately Flush eyes with plenty of water to ensure complete flushing. e.g., Eye wash station for 15						
	EYES:	, , ,						
	SKIN:	· · · · · ·						
	INHALATION:	· · · · · · · · · · · · · · · · · · ·						
4.2	Medical Conditions Aggravated by Exposure: Pre-existing respiratory and skin disorder.							
	5. FIREFIGHTING MEASURES							
5.1	Extinguishing M		CO ₂ , Foam, Dry C	hemical, and Wa	ter Spray			
1	(suitable and unsuitable)							



			SAFEIT DAT					
5.2	Specific hazards ari		Closed containers exposed to excessive heat may rupture. Do not crush or					
	the chemical (e.g.,		puncture containers.					
	products).	hazardous combustion						
5.3	Special protective e	auinment	Fire should be for	ight from a safe i	distance Firefighter	s should wear full face,		
3.3	and precautions for				, and full protective			
	firefighters.		Sen contained bro	aciming apparacas	, and ran proceedive	, aloumig.		
		6.	ACCIDENTAL REL	EASE MEASURE	S			
6.1	Personal precaution	ıs,	Depending on ext	ent of release, co	nsider the need for	fire		
	protective equipme					al protective equipment		
	emergency procedu	ıres:			or smoke while cle	aning up.		
6.2	Ventilation		Use with adequat					
6.3	Respiratory		-		equate ventilation			
6.4	Environmental Pred				m drains or waterw			
6.5	Methods and mater containment and cl					oid breathing vapors. uct is packed in aerosol		
	Containment and Ci	eaning up.				structions after placing		
						rbed by earth or other		
			non-flammable at					
		7. HA	NDLING & STOR	AGE INFORMAT	TION			
7.1	Precautions for Saf	e Handling:						
	Wash hands thorough				ing, or smoking			
7.2	Conditions for safe							
	Keep away from exces							
						ases should be placed to		
	avoid damage or rupture from material handling equipment. With use, spray aerosol carefully and cap after each use.							
	usc.	8 FYPOSII	RE CONTROLS /	DERSONAL DRO	OTECTION			
8.1	Control parameters		<u>-</u>			alues		
8.2	Appropriate engine			mine values of	biological illine ve			
8.3				er normal conditi	ons of use. When h	andling large quantities		
	(e.g., \geq 1 gallon), wea	ar protective	eyeglasses, gloves, b	poot, and apron p	er OSHA regulation	s (29 CFR 1910.133)		
CHE	MICAL IDENTITY	CAS#	EINECS#		LIMITS IN AIR	OTHER		
CHE	MICAL IDENTITI	CA5 #	EINECS#	TLV ppm	PEL ppm	OTHER		
	Nitrogen	7727-37-9	231-783-9	Simple	No data	ACGIH 2004		
				Asphyxiant		7100211 2001		
			AL & CHEMICAL P					
			NO DATA / N/A :	= NOT APPLICA		D DDODUCT		
0.1-	A		CONCENTRATE:			AEROSOLIZED PRODUCT:		
9.1a 9.1b	Appearance: Color:		Opaque cream White			Fine mist		
9.1b 9.1c	Specific Gravity:		< 1.0		White N/A			
9.1d			5,000 – 10,000 cPs		N/A			
9.2	,		TO MATCH STANDARD		TO MATCH STANDARD			
9.3			TO MATCH STANDARD TO MATCH STANDARD		TO MATCH STANDARD			
9.4			2.0 - <5.0			N/A		
9.5			ND		N/A			
9.6	Initial Boiling Point and		ND		N/A			
	Boiling Range:							
9.7	Flashpoint:		ND			N/A		
9.8	Evaporation Rate	,	ND			N/A		
9.9	Flammability: solid	/gas	ND		N/A	N/A		



	1						•						
9.10	Upper/lower fla explosive limits		ND				N/A						
9.11	Vapor pressure		ND				N/A						
9.12	Vapor density			ND N/A									
9.13	Relative density			See Specific Gravity		N/A							
9.14	Solubility(ies)			ND			N/A						
9.15	Partition coefficient: n-						N/A						
7.13	octanol/water		IND	ND N/A			IN/A						
9.16	Autoignition ter	mnerature	ND	ND N/A									
9.17	Decomposition		ND	, ,									
9.18	Volatile Organic		ND				VOC = N/	'Δ					
5.20	(VOC) %	. compounds	1,12				100 11,	, ,					
	()		10.	STABII	LITY & REACTI	VITY							
10.1	Chemical Stabil	itv:			normal conditio		 _						
10.2	Possibility of ha				olymerization wi								
	reactions:	: 4040	1 1020	acas p	o., monzacion wi		Jul 1						
10.3	Conditions to A	void:	Use	or stora	ge near open fla	mes, spa	arks, high heat	(>100°	°F) or other he	eat			
		· -	sour		J	,	-,	, _55	, : :::::::::::::::::::::::::::::::::::				
10.5	Incompatible S	ubstances:	Stro	ng oxidiz	zing agents								
10.2	Hazardous Deco				ors and toxic ga	ses whe	n involved in f	ire					
	Products:	-											
11. TOXICOLOGICAL INFORMATION													
44.4	TYPES OF EVPO		.1. TO	XICOLO	OGICAL INFOR	MATIO	N						
11.1	TYPES OF EXPO		.1. TO	XICOLO	OGICAL INFOR	MATIO	N	<u> </u>	Г	<u> </u>			
11.1	ROUTES OF		.1. TO	XICOLO	OGICAL INFOR Inhalation	MATIO X	Eyes	X	Ingestion	Х			
11.1	ROUTES OF EXPOSURE:	SURE:	.1. TO					X	Ingestion	X			
11.1	ROUTES OF EXPOSURE: HEALTH	SURE:		Х	Inhalation		Eyes			X			
11.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF	SURE:			Inhalation		Eyes	X		X			
11.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE:	SURE: Skin	IMM	X	Inhalation E	X	Eyes	CHRON	NIC				
11.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF	SURE: Skin May cause gas	IMM	X IEDIAT estinal iri	Inhalation E	X	Eyes	CHRON	NIC				
11.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION:	SURE: Skin May cause gas Liquid and vap	IMM	X IEDIAT estinal iri	Inhalation E	X Seel	Eyes	CHRON	NIC symptoms pers	sist.			
11.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION: EYES:	SURE: Skin May cause gas Liquid and vap eye irritation.	IMM strointe	X IEDIAT estinal irr	Inhalation E ritation mild to severe	X Seel	Eyes	CHRON	NIC symptoms pers	sist.			
11.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION:	SURE: Skin May cause gas Liquid and vap eye irritation. Repeated cont	IMM strointed for may	X Stinal irror cause by cause	Inhalation E ritation mild to severe irritation and	X Seel Seel	Eyes	CHRON	NIC symptoms pers	sist.			
11.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION: EYES:	SURE: Skin May cause gas Liquid and vap eye irritation. Repeated cont drying of the s	IMM strointe or may act ma	X Stinal irr Cause y cause y cause ontact v	Inhalation E ritation mild to severe	X Seel Seel	Eyes c medical atter c medical atter	CHRON	Symptoms pers	sist.			
11.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION: EYES: SKIN:	SURE: Skin May cause gas Liquid and vap eye irritation. Repeated cont drying of the s may cause fr	IMM strointe for may act ma kin. Co	X Stinal irror cause by cause ontact volumes.	Inhalation E ritation mild to severe irritation and with propellant	X Seel Seel	Eyes	CHRON	Symptoms pers	sist.			
11.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION: EYES:	SURE: Skin May cause gas Liquid and vap eye irritation. Repeated cont drying of the s may cause fr Vapor may cause	IMM etrointee for may fact ma kin. Co eeze I	X Stinal irror cause by cause ontact volumes.	Inhalation E ritation mild to severe irritation and with propellant	X Seel Seel t Seel	Eyes c medical atter c medical atter	CHRON ntion if s	Symptoms personal per	sist.			
11.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION: EYES: SKIN:	SURE: Skin May cause gas Liquid and vap eye irritation. Repeated cont drying of the s may cause fr	IMM strointe for may act ma skin. Co eeze I use irrit ct	x estinal irr y cause y cause ontact v burns. tation to	Inhalation E ritation mild to severe irritation and with propellant the upper	X Seel Seel Seel Seel Seel	Eyes c medical atter c medical atter	CHRON ntion if s	Symptoms personal per	sist.			
	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION: EYES: SKIN: INHALATION:	SURE: Skin May cause gas Liquid and vap eye irritation. Repeated cont drying of the s may cause fr Vapor may cau respiratory tra	IMM strointe for may act ma kin. Co eeze l use irrit ct 12. E	x estinal irr y cause y cause ontact v burns. tation to	Inhalation E ritation mild to severe irritation and with propellant	X Seel Seel Seel Seel Seel	Eyes c medical atter c medical atter	CHRON ntion if s	Symptoms personal per	sist.			
12.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION: EYES: SKIN: INHALATION:	May cause gas Liquid and vap eye irritation. Repeated cont drying of the s may cause fr Vapor may cau respiratory tra-	IMM strointed for may act markin. Coreeze luse irritct 12. Esself.	estinal irregions of the color	Inhalation E ritation mild to severe irritation and with propellant the upper	Seel Seel Seel Seel ATION	Eyes c medical atter c medical atter c medical atter	CHRON ntion if s	Symptoms personal per	sist. sist. sist.			
	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION: EYES: SKIN: INHALATION:	May cause gas Liquid and vap eye irritation. Repeated cont drying of the s may cause fr Vapor may cau respiratory tra	IMM strointed for may act maskin. Conceeze I use irritect 12. E self.	x stinal irr cause y cause ontact v burns. tation to	Inhalation E ritation mild to severe irritation and with propellant the upper ICAL INFORM able). Persistence	Seel Seel Seel Seel ATION	Eyes c medical atter c medical atter c medical atter c medical atter	CHRON ntion if s	Symptoms personal per	sist. sist. sist.			
12.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION: EYES: SKIN: There is no date of Eco-toxicity (aqual Mobility in soil. Of The product should be approached by the state of the s	May cause gas Liquid and vap eye irritation. Repeated cont drying of the s may cause fr Vapor may cause respiratory tra- on the product it atic and terrestriather adverse effe	IMM strointed for may act maskin. Concept lase irritect 12. Esself. al, wheects: The strointest last last last last last last last la	x stinal irr cause y cause ontact v burns. tation to	Inhalation E ritation mild to severe irritation and with propellant the upper IICAL INFORM able). Persistence to data available	Seel Seel Seel Seel ATION e and de on the p	Eyes A medical atter A medical atter A medical atter A medical atter A gradability. Bioroduct itself.	chron if sometion	symptoms personal symptoms per	sist. sist. sist. sist.			
12.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION: EYES: SKIN: There is no date of Eco-toxicity (aqua Mobility in soil. Others.)	May cause gas Liquid and vap eye irritation. Repeated cont drying of the s may cause fr Vapor may cause respiratory tra- on the product it atic and terrestriather adverse effe	IMM strointed for may act may act may act may be irrited to the ects: The distribution of the ects: The ects: The distribution of the ects: The ec	x stinal irr y cause y cause y cause tourns. tation to	Inhalation E ritation mild to severe irritation and with propellant the upper ICAL INFORM able). Persistence to data available as or water cours	Seel Seel Seel Seel ATION e and de on the pass or be	Eyes A medical atter A medical atter A medical atter A medical atter A gradability. Bioroduct itself.	chron if sometion	symptoms personal symptoms per	sist. sist. sist. sist.			
12.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION: EYES: SKIN: There is no date of Eco-toxicity (aqual Mobility in soil. Of The product should be approached by the state of the s	May cause gas Liquid and vap eye irritation. Repeated cont drying of the s may cause fr Vapor may cause respiratory tra- on the product it atic and terrestriather adverse effe	IMM strointed for may act may act may act may be irrited to the ects: The distribution of the ects: The ects: The distribution of the ects: The ec	x stinal irr y cause y cause y cause tourns. tation to	Inhalation E ritation mild to severe irritation and with propellant the upper IICAL INFORM able). Persistence to data available	Seel Seel Seel Seel ATION e and de on the pass or be	Eyes A medical atter A medical atter A medical atter A medical atter A gradability. Bioroduct itself.	chron if sometion	symptoms personal symptoms per	sist. sist. sist. sist.			
12.1	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION: EYES: SKIN: There is no date of Eco-toxicity (aqual Mobility in soil. Of The product should be approached by the state of the s	May cause gas Liquid and vap eye irritation. Repeated cont drying of the s may cause fr Vapor may cause respiratory tra- on the product it atic and terrestria ther adverse effet Id not be allowed	IMM strointed for may lact makin. Concern the concern	x stinal im y cause y cause ontact v cation to colore availance is n oter drain	Inhalation E ritation mild to severe irritation and with propellant the upper ICAL INFORM able). Persistence to data available as or water cours	Seel Seel Seel Seel ATION e and de on the pass or be	Eyes A medical atter A medical atter A medical atter A medical atter A gradability. Bioroduct itself.	chron if sometion	symptoms personal symptoms per	sist. sist. sist. sist.			
12.1 12.2 12.3	ROUTES OF EXPOSURE: HEALTH EFFECTS OF EXPOSURE: INGESTION: EYES: SKIN: INHALATION: There is no date of Eco-toxicity (aqual Mobility in soil. Of The product shou surface water.	May cause gas Liquid and vap eye irritation. Repeated cont drying of the s may cause fr Vapor may cause fr Vapor may cause fre on the product it atic and terrestriation and terrestriation the allowed	IMM strointed for may act may act may act may act may act may act in the control of the control	x stinal irr y cause y cause y cause y cause tourns. tation to	Inhalation E ritation mild to severe irritation and with propellant the upper ICAL INFORM able). Persistence to data available as or water cours	Seel Seel Seel Seel ATION e and de on the pass or bo	Eyes c medical atter	chron if sometion	symptoms personal symptoms per	sist. sist. sist. sist.			



	CLUTDDT:::		JAILII DATA JIILLI
14.1	SHIPPING NAME		49CFR (GND) CONSUMER COMMODITY, ORM-D (≤ 1.0L) or
		Regulated	49 CFR (GND) UN1950, AEROSOLS, 2.2, "LTD. QTY." or
		Regulated	49 CFR (GND) UN1950, AEROSOLS, 2.2 or
		Regulated	IATA (AIR) ID 8000, CONSUMER COMMODITY, 9
		Regulated	IATA (AIR) UN 1950, AEROSOLS, 2.2, "LTD. QTY."
		Regulated	or IATA (AIR) UN 1950, AEROSOLS, 2.2
		Regulated	or IMDG (OCN) UN1950, AEROSOLS, 2.2, "LTD. QTY." EMS # F-D, S-U
		Regulated	or IMDG (OCN) UN1950, AEROSOLS, 2.2
			CHOOSE FROM THE FOLLOWING SYMBOLS:
			CONSUMER COMMODITY ORM-D SOURCE MATTER CHARLES
14.2	HAZCHEM CODE:	Regulated	Aerosol Level: (1)
14.3	MARINE	N	49 CFR APPENDIX B SECTION 172.101
	POLLUTANT:		15. REGULATORY INFORMATION
15.1			with the OSHA Hazard Communication Standard CFR 1910.1200: The Globally
15.2	Harmonized Syste		cation and Labelling of Chemicals (GHS)
15.2	Section 302 Ext	remely Hazar	rdous Substances: None Section 304 CERCLA Hazardous Substances: None: None present or none present in regulated quantities.
15.3			eportable components
	-	•	ed System of Classification and Labelling of Chemicals (GHS) ("The Purple Book"), ised Edition, available online or from <u>United Nations Publications</u> . <u>UN GHS website</u>
	USA: Federal Haz	ardous Mater	rials Transportation Law (49 U.S.C. 5101 et seq.).
	USA: OSHA Hazaı	rd Communic	ation Standard 29 CFR 1910.1200.
	16. OTHER I	NFORMATIO	ON: including information on preparation and revision of the SDS
16.1	Version: 2 Revision: 1 (201) Date: 2017-05-05 Author/Initials: Vi	5; 2018-08-03	3
16.2	Standard, 29 CFR the best of 2-2-0	§ 1910.1200 Laboratories ever, accuracy	ed pursuant to Globally Harmonized System²(GHS) OSHA's Hazard Communication D. Other government regulations must be reviewed for applicability to this product. To Inc.'s knowledge, the information contained herein is reliable and accurate as of the y, suitability or completeness are not guaranteed and no warranties of any type, either ided.



16.3 Definitions:

Aerosols means any non-refillable receptacles made of metal, glass or plastics and containing a gas compressed, liquefied or dissolved under pressure, with or without a liquid, paste or powder, and fitted with a release device allowing the contents to be ejected as solid or liquid particles in suspension in a gas, as a foam, paste or powder or in a liquid state or in a gaseous state. Aerosol includes aerosol dispensers.

Mixture means a mixture or a solution composed of two or more substances in which they do not react. **CBI** means "confidential business information".

Carcinogenicity: Carcinogen means a chemical substance or a mixture of chemical substances which induce cancer or increase its incidence. Substances and mixtures in this hazard class are assigned to one of two hazard categories. Category 1 has two subcategories. The Carcinogenicity Guidance Section in the GHS Document includes comments about IARC.

AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence (DuPont™ DYMEL A propellant − Material Safety Data Sheet Version 2.2, 11-02-2011).